

0300
✓

PATENT
Attorney Docket No.: 285-113 CON

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT(s): Todd M. Boyce et al. EXAMINER:
SERIAL NO: 09/745,643 GROUP: 3738
FILED: December 22, 2000 DATE: May 8, 2001
FOR: KEYED INTERVERTEBRAL DOWEL DOCKET: 285-113 CON

Assistant Commissioner for Patents
Washington, D.C. 20231

RESPONSE TO NOTICE TO FILE
CORRECTED APPLICATION PAPERS

Sir:

In response to the Notice to File Corrected Application Papers of the United States Patent and Trademark Office mailed February 8, 2001, submitted herewith is a complete set of substitute drawings, including 63 figures on 15 sheets of drawings, with the appropriate margins.

Respectfully submitted,

Russell R. Kassner
Reg. No. 36,183
Attorney for Applicant(s)

DILWORTH & BARRESE
333 Earle Ovington Blvd.
Uniondale, NY 11553

CERTIFICATE OF MAILING UNDER 37 C.F.R. §1.8(a)

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail, postpaid in an envelope, addressed to the: Assistant Commissioner of Patents, Washington, D.C. 20231 on May 8, 2001.

Dated: May 8, 2001

Russell R. Kassner




UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/745,643	12/22/2000	Todd M. Boyce	285-113 CON

CONFIRMATION NO. 1535

FORMALITIES LETTER



Russell R. Kassner
Dilworth & Barrese
333 Earle Ovington Blvd
Uniondale, NY 11553

Date Mailed: 02/08/2001

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

A copy of this notice MUST be returned with the reply.

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE